




ELECTRICAL & TELECOMMUNICATION SYSTEMS



SceptaCon Trenchless Raceway for
Electrical and Telecommunication Cables

2" - 6"

The **MISSING LINK** in your **PVC System**



Until now, there have been few choices for electrical conduit in trenchless applications. Non-PVC conduit systems require transition couplings or adapters to connect to existing PVC conduit infrastructure and often a proper transition method does not exist. While existing PVC products are compatible they require set up time and can lack the joint pull-strength needed for directional drilling applications.

SceptaCon™ is one of the first PVC systems designed for the rigors of trenchless applications. It links seamlessly to existing PVC conduit infrastructure and allows utilities to standardize on PVC throughout their entire electrical system.

OUTPERFORMS OTHER PVC PRODUCTS

SceptaCon's spline-lock snaps into place in a recessed opening, ensuring the spline won't get snagged during pull-through. SceptaCon's rounded bell shoulders slide easily past roots, rocks and other debris in the borehole, ensuring a smooth, easy installation.

And because SceptaCon is made to the same high standards as our Scepter Rigid PVC Conduit, contractors and electrical utilities can be assured of the same level of quality – above ground and below. SceptaCon delivers the performance, reliability and long life you expect from Kraloy.



ADVANTAGE

NO CEMENTING OR LUBRICATION REQUIRED

Because SceptaCon joints can be quickly joined by hand in seconds, crews don't need large, expensive fusion equipment or special training to create water-tight joints.

In addition, SceptaCon can be assembled one pipe length at a time, then pulled underground, eliminating the need for long strings of pipe on the job. In this way, SceptaCon is ideal for short haul applications in cramped urban areas.

NO FUSION REQUIRED

Because SceptaCon joints can be quickly joined by hand in seconds, crews don't need large, expensive fusion equipment or special training to create water-tight joints.


In addition, SceptaCon can be assembled one pipe length at a time, then pulled underground, eliminating the need for long strings of pipe on the job. In this way, SceptaCon is ideal for short haul applications in cramped urban areas.

SUPERIOR PERFORMANCE

SceptaCon is made from durable schedule 40 PVC that's resistant to creasing, scoring or flattening when pulled past obstructions in the borehole, yet flexible enough to bend with underground twists and turns. SceptaCon remains round, unlike HDPE which can stretch and become oval. And with PVC's proven 70-year history in underground piping, it's no surprise telecommunication contractors are turning to SceptaCon PVC raceway for reliable performance – now and over the long term.

EASIER TO HANDLE

SceptaCon saves crews all the hassles of working with HDPE. As any crew knows, cumbersome HDPE reels are heavy and awkward to transport and work with, and the material is notoriously rigid in cold temperatures. On the other hand, SceptaCon is available in convenient 10' and 20' lengths that are lightweight, easy to handle and no problem to work with in all types of weather.



THE SCEPTACON SOLUTION

APPLICATIONS

ENVIRONMENTALLY SENSITIVE AREAS

Projects using SceptaCon require no open-trenching, therefore are less invasive and disruptive to environmentally sensitive areas such as parks and conservation areas.

ROAD & HIGHWAY CROSSINGS

SceptaCon is ideal for short drilling projects where existing structures – such as busy highways, roads and intersections – cannot be disturbed.

HISTORICAL LANDMARKS


Requiring less workspace and causing little interruption to surface traffic, SceptaCon jobs are perfect for sensitive historical sites.

URBAN AREAS

Because SceptaCon can be assembled a piece at a time before entering the borehole, SceptaCon projects take up less space in cramped urban areas.

STREET LIGHTS

TRAFFIC LIGHTS



THE PERFECT SOLUTION TO YOUR MOST CHALLENGING INSTALLATION...

If you're running electrical and telecommunication cable conduit under a busy road or highway, then you need SceptaCon. SceptaCon is a water-tight PVC raceway system designed specifically for horizontal directional drilling (HDD) applications.

With SceptaCon, you no longer have to worry about digging long trenches, interrupting traffic or causing costly damage to roads and sidewalks.

Choose SceptaCon for your next job that calls for installing PVC raceway under a road or highway and you'll know you've found the right solution.

A PROVEN MECHANICAL SPLINE-LOCKING SYSTEM ENSURES SCEPTACON WON'T PULL APART IN THE BOREHOLE.



SUGGESTED SPECIFICATIONS

1.0 GENERAL

Installation of conduit in defined areas (such as environmentally sensitive areas, existing roadways and high traffic pedestrian areas) shall be accomplished using trenchless horizontal directional drilling methods.

2.0 PRODUCT

The trenchless raceway system shall be manufactured of schedule 40 PVC and to PVC conduit specifications providing for a seamless transition to rigid nonmetallic conduit, duct or other approved conduit systems. Each length of conduit shall be supplied with end caps, a locking spline, a factory installed pre-lubricated o-ring seal and a positive stop alignment ring. Each length shall incorporate dimensionally precise machined grooves (internal on the bell and external on the spigot) whereby the connection of the raceway lengths creates a cavity for the locking spline. The bell end of each length shall have a label affixed by the manufacturer that provides installation instructions while clearly identifying and protecting the spline insertion opening.

Acceptable manufacturers are: SceptaCon Trenchless Raceway by Kraloy

3.0 APPROVALS

The Trenchless Raceway System shall be third party certified to UL651 and CSA C22.2 No.211.2.

PERFORMANCE SPECIFICATIONS

SceptaCon is made for fast installation, creating a water-tight seal in seconds with no special fusion equipment or training needed. SceptaCon is manufactured to UL651 and CSA C22.2 no. 211.2 standards and meets all testing requirements of Rigid PVC Conduit (PVC).

- SceptaCon's rated bend radius is sixty five (65) feet
- Rated Pulling Force
 - 2" – 3,000 lbs 3" – 7,000 lbs 4" – 8,700 lbs
 - 5" – 11,300 lbs 6" – 14,000 lbs
- SceptaCon's water tightness using the joint immersion test.
 - 80 psi pressure without a bending force applied
 - 80 psi pressure when subjected to a 65 foot bend radius



THE SCEPTACON SOLUTION

THE SCEPTACON JOINT

Featuring slide-in spline locking system.

SceptaCon is available in a wide range of sizes and lengths to fit the needs of any HDD project. Every length is delivered with protective plugs in either end of the pipe to keep the conduit free of dirt and debris during shipping and job site handling.

- (A) LOCKING SPLINE**
- (B) SPLINE INSERTION HOLE**
- (C) LUBRICATED GASKET**
- (D) CHAMFERED LIP**
Makes joint assembly easy
- (E) ROUNDED BELL**
Reduces pull forces
- (F) RIGID PVC CONDUIT**



FAST & EASY JOINT ASSEMBLY

SceptaCon needs no special equipment or training like polyethylene fusion. The best part of all is it joins quickly, creating a water-tight seal literally in seconds.

1

Simply remove the red protective plugs and locking spline included inside every length. Slide the spigot end of a pipe into the bell end past the pre-lubricated gasket to the positive stop alignment ring.



2

Push the locking spline into the insertion hole at the top of the joint and feed it into the opening. When the spline is completely inserted into the pipe's inner groove, it will lock the lengths together.



3

You're done! Now that your raceway lengths are locked securely, they're ready to be pulled into the borehole. Our spline locking system ensures they'll stay together during pull-through and over their life underground.



DIMENSIONS

| Nominal Size | | Product Code | | O.D. | | I.D. | | Minimum Wall | |
|--------------|-----|--------------|--------|--------|-------|--------|-------|--------------|-----|
| inches | mm | | | inches | mm | inches | mm | inches | mm |
| 2 | 53 | 20' | 106421 | 2.375 | 60.3 | 2.067 | 52.5 | 0.154 | 3.9 |
| 3 | 78 | 20' | 106431 | 3.500 | 88.9 | 3.068 | 77.9 | 0.216 | 5.5 |
| 4 | 103 | 10' | 106440 | 4.500 | 114.3 | 4.026 | 102.3 | 0.237 | 6.0 |
| | | 20' | 106441 | | | | | | |
| 5 | 129 | 10' | 106450 | 5.563 | 141.3 | 5.047 | 128.2 | 0.258 | 6.6 |
| | | 20' | 106451 | | | | | | |
| 6 | 155 | 10' | 106460 | 6.625 | 168.3 | 6.065 | 154.1 | 0.280 | 7.1 |
| | | 20' | 106461 | | | | | | |

CUSTOMER SERVICE CENTER

1055 Wilton Grove Road Tel: (519) 681-2140
London, Ontario N6A 4K3 Toll Free: (800) 265-1815
Fax: (519) 681-2156

www.kraloyfittings.com

Kraloy has been an industry leader for over 40 years supplying the electrical trade with a comprehensive offering of nonmetallic PVC fittings. Kraloy offers adapters, couplings, elbows, access fittings, boxes, cover plates, expansion fittings and spacers – virtually any fitting required to complete the PVC conduit system.

Check out the full Kraloy product offering on our web site www.kraloyfittings.com or contact us directly for information.

Only when you specify Kraloy by name are you guaranteed The Fitting Choice.

Kraloy is proud to offer these quality brands.



Products are manufactured by IPEX Electrical Inc. and distributed in the United States by Kraloy, a division of Multi Fittings Corp.

Kraloy® is a trademark of Multi Fittings Corp.

Inexo®, Kwikon®, Kwiflex®, SceptaCon™ and Sceptalight™ are trademarks of IPEX Branding Inc.

DISTRIBUTED BY:

www.kraloyfittings.com

This literature is published in good faith and is believed to be reliable. However, Kraloy does not represent and/or warrant in any manner the information and suggestions contained in this brochure. Data presented is the result of laboratory tests and field experience. Kraloy maintains a policy of ongoing product improvement. This may result in modifications of features and/or specifications without notice.

